OIPE 428

07-10-07

PTO/SB/21 (04-07)

Approved for use through 09/30/2007. OMB 0651-0031

U.S. Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM

(to be used for all correspondence after initial filing)

Total Number of Pages in This Submission

Application Number 10/696,393

Filing Date October 29, 2003

First Named Inventor Colt R. Correa

Art Unit 2192

Examiner Name Zheng Wei

Attorney Docket Number 2485-000001/CPA

ENCLOSURES (check all that apply)								
Fee Transmittal Form		☐ Drawing(s)			After Allowance Communication to Technology Center (TC)			
Fee Attached		Licensing-related Papers			Appeal Communication to Board of Appeals and Interferences			
Amendment / Reply		Petition			Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)			
After Final		Petition to Convert to a Provisional Application			Proprietary Information			
Affidavits/declaration(s)		Power of Attorney, Revocation Change of Correspondence Address			Status Letter			
Extension of Time Request		Terminal Disclaimer			Other Enclosure(s) (please identify below):			
Express Abandonment Request		Request for Refund			Return Postcard			
		CD, Number of CD(s)			•			
Information Disclosure Statement								
Certified Copy of Priority Document(s)		Remarks The Commissioner is hereby authorized to charge any additional fees that may be required under 37 CFR 1.16 or 1.17 to Deposit						
Response to Missing Parts/ Incomplete Application		Account No. 08-0750. A duplicate copy of this sheet is enclosed.						
Response to Missing								
Parts under 37 CFR 1.52 or 1.53		,						
SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT								
Firm Name Harness, Dickey &								
Signature			talu					
Printed name	Timothy D. MacIntyre							
Date July 9, 2007			Reg. No.	42,824				
CERTIFICATE OF TRANSMISSION/MAILING								

I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450,

Alexandria, VA 22313-1450 on the date shown below.

- HEXAMONA, V/ \ 22010 140	of the date shown below.		
Typed or printed name	Mary Ellen Donovan	Express Mail Label No.	EV 755 418 780 US (7/9/2007)
Signature	John Cla Mon	Date	July 9, 2007

This collection of information is equired by 37 CFR 1.5 The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 85 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application No.:

10/696,393

Filing Date:

October 29, 2003

Applicant:

Colt R. Correa

Group Art Unit:

2192

Examiner:

Zheng Wei

Title:

METHOD FOR ECU CALIBRATION AND

DIAGNOSTICS DEVELOPMENT

Attorney Docket:

2485-000001/CPA

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

RESPONSE

Sir:

In response to the Office Action mailed April 9, 2007, please amend the application as follows and consider the remarks set forth below.

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims begin on page 3 of this paper.

Remarks begin on page 9 of this paper.